



| 型号<br>Type   | 28A              | 35A            | 55A  | 80A  | V80A         | C80A   | 120A            |
|--|------------------|----------------|--|--|--------------|--|-----------------|
| 冲击放电电流<br>Impulse<br>Discharge<br>Current<br>(kA)    | 2                | 5              | 70V~470V : 10<br>600V~800V : 5<br>1000V~3600V : 3  | 600V~2400V : 8<br>2500V~2700V : 5<br>3000V~7500V : 5   | 20           | 600V~2400V : 8<br>2500V~2700V : 5<br>3000V~7500V : 5 | 40              |
| 交流放电电流<br>Alternating<br>Discharge<br>Current<br>(A) | 1                | 3              | 70V~470V : 5<br>600V~800V : 2.5<br>1000V~3600V : 2 | 600V~2400V : 5<br>2500V~2700V : 3<br>3000V~7500V : 2.5 | 20           | 600V~2400V : 8<br>2500V~2700V : 5<br>3000V~7500V : 5 | 20              |
| 外型尺寸<br>Dimensions<br>D $\phi$ × T<br>(mm)           | 2.8 $\phi$ × 3.5 | 3.5 $\phi$ × 4 | 5.5 $\phi$ × 6                                     | 8 $\phi$ × 6   | 8 $\phi$ × 6 | 8 $\phi$ × 8<br>8 $\phi$ × 10                        | 11.8 $\phi$ × 8 |
|  |                  |                |  |  |              |  |                 |
| Vsdc(V)  |                  |                |  |  |              |  |                 |
| 70   |                  |                | ⊙  | ⊙  | ⊙            |  |                 |
| 75   | ⊙                | ⊙              | ⊙  | ⊙  | ⊙            |  |                 |
| 90   | ⊙                | ⊙              | ⊙  | ⊙  | ⊙            |  |                 |
| 120  | ⊙                |                | ⊙  | ⊙  | ⊙            |  |                 |
| 130  |                  |                | ⊙  | ⊙  | ⊙            |  |                 |
| 145  |                  | ⊙              | ⊙  | ⊙  | ⊙            |  |                 |
| 150  | ⊙                |                |  |  |              |  |                 |
| 170  |                  |                |  |  |              |  |                 |
| 180  |                  |                |  |  | ⊙            |  |                 |
| 200  | ⊙                |                |  |  |              |  |                 |
| 230  | ⊙                | ⊙              | ⊙  | ⊙  | ⊙            |  | ⊙               |
| 250  | ⊙                | ⊙              | ⊙  | ⊙  | ⊙            |  | ⊙               |
| 260  |                  |                |  |  |              |  |                 |
| 270  |                  |                |  |  |              |  |                 |
| 300  |                  | ⊙              | ⊙  | ⊙  | ⊙            |  | ⊙               |
| 350  | ⊙                | ⊙              | ⊙  | ⊙  | ⊙            |  | ⊙               |
| 400  | ⊙                | ⊙              | ⊙  | ⊙  | ⊙            |  |                 |
| 420  |                  |                |  |  |              |  | ⊙               |
| 470  | ⊙                | ⊙              | ⊙  | ⊙  | ⊙            |  | ⊙               |
| 500  |                  |                |  |  |              |  | ⊙               |
| 550  |                  |                |  |  |              |  |                 |
| 600  |                  | ⊙              | ⊙  | ⊙  | ⊙            | ⊙  | ⊙               |
| 700  |                  |                |  |  |              | ⊙  | ⊙               |
| 800  |                  |                | ⊙  | ⊙  |              | ⊙  | ⊙               |
| 900  |                  |                |  |  |              | ⊙  |                 |
| 1000   |                  |                | ⊙  | ⊙  |              | ⊙  |                 |
| 1100   |                  |                |  |  |              | ⊙  |                 |
| 1200   |                  |                | ⊙  |  |              | ⊙  |                 |
| 1300   |                  |                |  |  |              | ⊙  |                 |
| 1400   |                  |                | ⊙  |  |              | ⊙  |                 |
| 1500   |                  |                |  |  |              | ⊙  |                 |
| 1600   |                  |                | ⊙  |  |              | ⊙  |                 |
| 1800   |                  |                |  |  |              |  |                 |
| 2000   |                  |                | ⊙  |  |              | ⊙  |                 |
| 2200   |                  |                |  |  |              |  |                 |
| 2400   |                  |                |  |  |              | ⊙  |                 |
| 2500   |                  |                | ⊙  |  |              | ⊙  |                 |
| 2700   |                  |                |  |  |              | ⊙  |                 |
| 3000   |                  |                | ⊙  |  |              | ⊙  |                 |
| 3300   |                  |                |  |  |              | ⊙  |                 |
| 3500   |                  |                | ⊙  |  |              | ⊙  |                 |
| 3600   |                  |                | ⊙  |  |              | ⊙  |                 |
| 4000   |                  |                |  |  |              | ⊙  |                 |
| 4500   |                  |                |  |  |              | ⊙  |                 |
| 5000   |                  |                |  |  |              | ⊙  |                 |
| 5500   |                  |                |  |  |              |  |                 |
| 6000   |                  |                |  |  |              | ⊙  |                 |
| 6200   |                  |                |  |  |              | ⊙  |                 |
| 6500   |                  |                |  |  |              | ⊙  |                 |
| 7500   |                  |                |  |  |              | ⊙  |                 |

备注：1. Impulse discharge current : 8/20 $\mu$ s wave in total ; Alternating discharge current : 1s/50Hz in total  
冲击放电电流：8/20 $\mu$ s 总电流波；交流放电电流；1s/50Hz 总电流  
2. Vsdc : Nominal DC spark-over voltage  
Vsdc : 标称直流击穿电压



| 型号<br>Type   | 160A   | 2XA             | 200A            | 250A           | 300A               | 50B  | 72B  |
|--|--|-----------------|-----------------|----------------|--------------------|--|--|
| 冲击放电电流<br>Impulse<br>Discharge<br>Current<br>(kA)    | 150V~250V : 40<br>300V~350V : 40<br>500V~800V : 40 | 60              | 60              | 80             | 160                | 75V~150V : 10<br>200V~470V : 15<br>600V~1100V : 10 | 90V~145V : 10<br>200V~250V : 10<br>350V~600V : 5 |
| 交流放电电流<br>Alternating<br>Discharge<br>Current<br>(A) | 150V~250V : -<br>300V~350V : 50<br>500V~800V : 100 | 40              | 40              | 100            | 100                | 75V~150V : 5<br>200V~470V : 10<br>600V~1100V : 5   | 90V~145V : 5<br>200V~250V : 10<br>350V~600V : 5  |
| 外型尺寸<br>Dimensions<br>D $\phi$ × T<br>(mm)           | 15.5 $\phi$ × 4.8                                  | 20 $\phi$ × 5.5 | 20 $\phi$ × 5.5 | 25 $\phi$ × 10 | 29.5 $\phi$ × 12.4 | 5 $\phi$ × 7.2&7.6                                 | 8 $\phi$ × 10                                    |
|  |  |                 |                 |                |                    |  |  |
| Vsdc(V)  |  |                 |                 |                |                    |  |  |
| 75   |  |                 |                 |                |                    | ⊙  | ⊙  |
| 90   |  |                 |                 |                |                    | ⊙  | ⊙  |
| 120  |  |                 |                 |                |                    | ⊙  |  |
| 130  |  |                 |                 |                |                    |  |  |
| 145  |  |                 |                 |                |                    |  | ⊙  |
| 150  | ⊙  | ⊙               | ⊙               |                |                    | ⊙  |  |
| 170  |  |                 |                 |                |                    |  |  |
| 180  |  |                 |                 |                |                    |  |  |
| 200  |  |                 |                 |                |                    | ⊙  | ⊙  |
| 230  | ⊙  | ⊙               | ⊙               |                |                    | ⊙  | ⊙  |
| 250  | ⊙  |                 |                 |                |                    | ⊙  | ⊙  |
| 260  |  |                 |                 |                |                    |  | ⊙  |
| 270  |  |                 |                 |                |                    |  |  |
| 300  | ⊙  | ⊙               | ⊙               |                |                    |  | ⊙  |
| 350  | ⊙  | ⊙               | ⊙               |                |                    | ⊙  | ⊙  |
| 400  |  | ⊙               | ⊙               |                |                    | ⊙  | ⊙  |
| 420  |  | ⊙               | ⊙               |                |                    | ⊙  | ⊙  |
| 470  |  | ⊙               | ⊙               |                |                    | ⊙  | ⊙  |
| 500  | ⊙  | ⊙               | ⊙               | ⊙              | ⊙                  |  |  |
| 550  |  |                 |                 |                |                    |  | ⊙  |
| 600  | ⊙  | ⊙               | ⊙               | ⊙              | ⊙                  | ⊙  | ⊙  |
| 700  |  |                 |                 |                |                    |  |  |
| 800  | ⊙  | ⊙               | ⊙               | ⊙              | ⊙                  | ⊙  |  |
| 900  |  |                 |                 |                |                    |  |  |
| 1000   |  | ⊙               | ⊙               |                |                    | ⊙  |  |
| 1100   |  |                 |                 |                |                    | ⊙  |  |




备注：1. Impulse discharge current : 8/20 $\mu$ s wave in total ; Alternating discharge current : 1s/50Hz in total

冲击放电电流：8/20 $\mu$ s 总电流波；交流放电电流；1s/50Hz 总电流

2. Vsdc : Nominal DC spark-over voltage

Vsdc : 标称直流击穿电压



| 型号<br>Type   | 8D4  | 28S              | 35S              | 40S   | 50S              | 60S                             | 32S  | 45S             |
|--|--|------------------|------------------|---|------------------|---------------------------------|--|-----------------|
| 冲击放电电流<br>Impulse<br>Discharge<br>Current<br>(kA)          | 20   | 2                | 5                | 75V~600V : 5<br>800V~2000V : 3  | 6                | 75V~800V : 8<br>1000V~3000V : 5 | 0.5  | 2               |
| 交流放电电流<br>Alternating<br>Discharge<br>Current<br>(A)       | -  | 1                | 3                | 75V~600V : 3<br>800V~2000V : 2  | 5                | 75V~800V : 5<br>1000V~3000V : 3 | 0.5  | -               |
| 外型尺寸<br>Dimensions<br>D $\phi$ × T<br>or L × W × H<br>(mm) | 9.3 $\phi$ × 16.3<br> | 2.8 $\phi$ × 3.5 | 3.5 $\phi$ × 4.0 | 4.2 $\phi$ × 4.0<br> | 5.0 $\phi$ × 4.2 | 6.3 $\phi$ × 4.2                | 3.2 × 1.6 × 1.6<br> | 4.5 × 3.2 × 2.7 |
| Vsdc(V)  |  |                  |                  |   |                  |                                 |  |                 |
| 75   |  | ⊙                | ⊙                | ⊙   | ⊙                | ⊙                               |  | ⊙               |
| 90   |  | ⊙                | ⊙                | ⊙   | ⊙                | ⊙                               |  | ⊙               |
| 120  |  | ⊙                |                  |   |                  |                                 | ⊙  | ⊙               |
| 130  |  |                  |                  |   |                  |                                 |  |                 |
| 145  |  |                  | ⊙                | ⊙   | ⊙                | ⊙                               |  |                 |
| 150  |  | ⊙                |                  |   |                  |                                 | ⊙  | ⊙               |
| 170  |  |                  |                  |   |                  |                                 |  |                 |
| 180  |  |                  |                  |   |                  |                                 |  |                 |
| 200  |  | ⊙                |                  |   |                  |                                 | ⊙  | ⊙               |
| 230  |  | ⊙                | ⊙                | ⊙   | ⊙                | ⊙                               |  | ⊙               |
| 250  |  | ⊙                | ⊙                | ⊙   | ⊙                | ⊙                               |  | ⊙               |
| 260  |  |                  |                  |   |                  |                                 |  |                 |
| 270  |  |                  |                  |   |                  |                                 |  |                 |
| 300  |  |                  | ⊙                | ⊙   | ⊙                | ⊙                               |  | ⊙               |
| 350  |  | ⊙                | ⊙                | ⊙   | ⊙                | ⊙                               |  | ⊙               |
| 400  |  | ⊙                | ⊙                | ⊙   | ⊙                | ⊙                               | ⊙  | ⊙               |
| 420  |  |                  |                  |   |                  |                                 | ⊙  | ⊙               |
| 470  |  | ⊙                | ⊙                | ⊙   | ⊙                | ⊙                               |  | ⊙               |
| 500  |  |                  |                  |   |                  |                                 | ⊙  | ⊙               |
| 550  |  |                  |                  |   |                  |                                 |  |                 |
| 600  |  |                  | ⊙                | ⊙   | ⊙                | ⊙                               | ⊙  | ⊙               |
| 700  |  |                  |                  |   |                  |                                 |  |                 |
| 800  | ⊙  |                  |                  | ⊙   |                  | ⊙                               |  |                 |
| 900  |  |                  |                  |   |                  |                                 |  |                 |
| 1000   |  |                  |                  | ⊙   |                  | ⊙                               |  |                 |
| 1100   |  |                  |                  |   |                  |                                 |  |                 |
| 1200   | ⊙  |                  |                  | ⊙   |                  | ⊙                               |  |                 |
| 1300   |  |                  |                  |   |                  |                                 |  |                 |
| 1400   | ⊙  |                  |                  | ⊙   |                  |                                 |  |                 |
| 1500   |  |                  |                  | ⊙   |                  |                                 |  |                 |
| 1600   |  |                  |                  | ⊙   |                  |                                 |  |                 |
| 1800   |  |                  |                  | ⊙   |                  | ⊙                               |  |                 |
| 2000   |  |                  |                  | ⊙   |                  | ⊙                               |  |                 |
| 2200   |  |                  |                  |   |                  |                                 |  |                 |
| 2400   |  |                  |                  |   |                  |                                 |  |                 |
| 2500   |  |                  |                  |   |                  | ⊙                               |  |                 |
| 2700   |  |                  |                  |   |                  | ⊙                               |  |                 |
| 3000   |  |                  |                  |   |                  | ⊙                               |  |                 |

备注：1. Impulse discharge current : 8/20 $\mu$ s wave in total ; Alternating discharge current : 1s/50Hz in total  
冲击放电电流：8/20 $\mu$ s 总电流波；交流放电电流；1s/50Hz 总电流

2. Vsdc : Nominal DC spark-over voltage  
Vsdc : 标称直流击穿电压